

CHECKLIST OF THE PLANTS OF THE GUIANA SHIELD

1. AN UPDATE TO THE ANGIOSPERMS

Christian Feuillet

Department of Botany, MRC-166

Smithsonian Institution

P.O. Box 37012

Washington, D.C. 20013-7012, U.S.A.

feuillec@si.edu

ABSTRACT

An update to the *Checklist of the Plants of the Guiana Shield* is proposed. It comprises more than 700 additions, corrections, and synonymies for the Angiosperms. Two new combinations are made in the Rubiaceae: **Appunia longipedunculata** and **Appunia peduncularis**.

RÉSUMÉ

Une mise à jour de la *Checklist of the Plants of the Guiana Shield* est offerte. Elle comprend plus de 700 additions, corrections et synonymies pour les Angiospermes. Deux combinaisons nouvelles sont faites dans les Rubiaceae: **Appunia longipedunculata** et **Appunia peduncularis**.

The flora of the Guiana Shield is the object of strong interest that fostered various international programs as evidenced and enhanced by the publication of the *Flora of the Guianas* (Görts-van Rijn & Janssen-Jacobs 1985–present; in progress), the *Flora of the Venezuelan Guayana* (Berry et al. 1995–2005), and the *Guide to the vascular plants of central French Guiana* (Mori et al. 1997 and 2002), as well as by the large specimen-based database at the Department of Botany of the Smithsonian Institution. There was a need to compare results and therefore for conformity of the taxonomy. The *Checklist of the Plants of the Guiana Shield* (Funk et al. 2007) was the tool to fill that need. The phase of data gathering for the *Checklist* was completed in 2005. Since then, many papers have been published on the flora of the region adding several species, changing their generic placement, or refuting their presence in the Guiana Shield. Furthermore, due to the widely scattered literature, some taxa were overlooked. Hence many additions, deletions, and corrections must be made before an updated version of the *Checklist* can be offered for consultation on-line. This paper presents 719 modifications needed for the Angiosperms and gathers in one place the references for the new species. The results are presented in the Appendix. For the Angiosperms, 211 names are added to the checklist and 159 are placed in synonymy or rejected. Therefore, there is a gain of 52 and the total number of accepted subgeneric names is now 14,784.

A later paper will update the ferns and allied groups. The Checklist (Funk et al. 2007) can be downloaded from <http://botany.si.edu/bdg/plants.html> along with this update and relevant pdf files.

If you know of taxa that should have been added, edited, or deleted, please let me know.

APPENDIX: MODIFICATIONS

The families are presented in alphabetical order under the family name used in the *Checklist* (Funk et al. 2007). The names of the families are followed by the pages where they can be found in the *Checklist*. Names of species and infraspecific taxa to be added are in **bold**, followed by the symbols of the regions (**AM** = Amazonas; **BO** = Bolívar; **DA** = Delta Amacuro; **FG** = French Guiana; **GU** = Guyana; **SU** = Surinam). Names of species in *italics* are to be edited or deleted. As in the checklist, the family chapters are followed when needed by two paragraphs: "Synonyms and misidentifications" and "References." Occasionally a note clarifies a problem.

Reference (p. 15–16)

Add: CLARK, H., R. LIESNER, P.E. BERRY, A. FERNÁNDEZ, G. AYMARD, AND P. MAQUIRINO. 2000. Catálogo anotado de la flora del área de San Carlos de Río Negro, Venezuela. *Sci. Guaianae* 11:101–333 + 21 color photos.

ANTHOPHYTA: MONOCOTYLEDONAE**ARACEAE (p. 59–67)**

Monstera barrieri Croat, Moonen & Poncy—**FG**
Philodendron scottmorianum Croat & Moonen—**FG**

References

- CROAT, T.B. AND J. MOONEN. 2007. *Philodendron scottmorianum*, a new species of *P.* sect. *Philodendron* (Araceae) from the Guianas. *Willdenowia* 37:535–539.
CROAT, T.B., J. MOONEN, AND O. PONCY. 2005. New species of *Monstera* (Araceae) from French Guiana. *Rodriguésia* 56(88):61–64.

ARECACEAE (p. 67–73)

Bactris nancibaensis JJ. de Granville—**FG**

Reference

- GRANVILLE, J.-J. DE. 2007. A new species of *Bactris* (Palmae) from French Guiana. *Brittonia* 59:354–356.

BROMELIACEAE (p. 73–83)

Pitcairnia cremersii Gouda—**SU, FG**

- Pitcairnia incarnata* Baker—should be deleted
Pitcairnia leprieurii Baker—should be deleted
Pitcairnia rubiginosa Baker—correct author—add **GU**
Pitcairnia rubiginosa var. *amazonica* (Baker) L.B. Sm.—correct spelling of species epithet
Pitcairnia rubiginosa (Baker) Mez—should be deleted
Pitcairnia saxosa Gouda—**FG**
Pitcairnia semijuncta Baker—**GU, SU, FG**

Synonyms and misidentifications

- Hepetis amazonica* (Baker) Mez—should read “=*Pitcairnia rubiginosa* var. *amazonica* (Baker) L.B. Sm.”
Pepinia incarnata (Baker) G.S. Varad. & Gilman = *Pitcairnia caricifolia* Mart. ex Schult. f.
Pitcairnia amazonica Baker—should read “=*Pitcairnia rubiginosa* var. *amazonica* (Baker) L.B. Sm.”
Pitcairnia incarnata Baker = *Pitcairnia caricifolia* Mart. ex Schult. f.
Pitcairnia leprieurii Baker = *Pitcairnia rubiginosa* Baker

Reference

- GOUDA, E.J. 2009. Studies on the flora of the Guianas: the genus *Pitcairnia* (Bromeliaceae). *Selbyana* 30:80–88.

COSTACEAE (p. 86–87)

Chamaecostus congestiflorus (Rich. ex L.F. Gagnep.) C. Specht & D.W. Stev.—**DA, GU, SU, FG**

Chamaecostus curcumoides (Maas) C. Specht & D.W. Stev.—**FG**

Chamaecostus lanceolatus (Petersen) C. Specht & D.W. Stev.—**SU, FG**

Chamaecostus lanceolatus subsp. *pulchriflorus* (Ducke) C. Specht & D.W. Stev.—**SU, FG**

Costus congestiflorus Rich. ex L.F. Gagnep.—should be deleted

Costus curcumoides Maas—should be deleted

Costus lanceolatus Petersen—should be deleted

Costus lanceolatus subsp. *pulchriflorus* (Ducke) Maas—should be deleted

Synonyms and misidentifications

Costus congestiflorus Rich. ex L.F. Gagnep. = *Chamaecostus congestiflorus* (Rich. ex L.F. Gagnep.) C. Specht & D.W. Stev.

Costus curcumoides Maas = *Chamaecostus curcumoides* (Maas) C. Specht & D.W. Stev.

Costus lanceolatus Petersen = *Chamaecostus lanceolatus* (Petersen) C. Specht & D.W. Stev.

Costus lanceolatus subsp. *pulchriflorus* (Ducke) Maas = *Chamaecostus lanceolatus* subsp. *pulchriflorus* (Ducke) C. Specht & D.W. Stev.

Reference

- SPECHT, C. AND D.W. STEVENSON. 2006. A new phylogeny-based generic classification of Costaceae (Zingiberales). *Taxon* 55:153–163.

CYPERACEAE (p. 88–103)

Bulbostylis medusae Prata, Reynders & Goethg.—edit author and delete “sp. nov. ined.”

Reference

- PRATA, A.P., K. CAMELBEKE, M. REYNERS, I.C. FEDÓN, P. GOETGHEBEUR, AND O. HUBER. 2007. *Bulbostylis medusae* (Cyperaceae), a new species from Venezuela. *Novon* 17:67–71.

ORCHIDACEAE (p. 118–149)

Habenaria armata Rchb. f.—add **SU**

Habenaria ayangannensis Renz—delete comment in the square brackets—add **BO**

Habenaria hamata Barb. Rodr.—**FG**

Note: The only collection of *H. seticauda* Lindl. ex Benth. in CAY, Cremers & Hoff 10717, has been identified as *H. hamata* by Batista et al. 2008.

Habenaria longipedicellata Hoehne—**FG**

Habenaria platydactyla Kraenzl.—should be deleted

Habenaria pratensis (Salzm. ex Lindl.) Rchb. f.—should be deleted

Habenaria pratensis var. *parviflora* Cogn.—should be deleted

Habenaria schomburgkii Lindl.—**BO, GU, SU**

Habenaria schwackei Barb. Rodr.—**GU, SU, FG**

Habenaria secundiflora Barb. Rodr.—**BO, GU, FG**

Habenaria seticauda Lindl. ex Benth.—delete **FG**; it should read:—**BO, GU**

Habenaria spathulifera Cogn.—**BO, GU?, SU, FG**

Habenaria subfiliformis Cogn.—**BO, SU**

Heterotaxis proboscidea (Rchb. f.) F. Barros—should be deleted

Ligeophila clavigera var. *rhodostachys* Ormerod—**GU**

Ligeophila unicornis Ormerod—**AM**

Maxillaria nasuta Rchb. f.—should be deleted

- Microchilus campanulatus** Ormerod—AM, BO, GU
Microchilus guianensis Ormerod—GU
Nitidobulbon nasutum (Rchb. f.) Ojeda & Carnevali—AM, BO, GU
Nitidobulbon proboscidea (Rchb. f.) Ojeda & Carnevali—AM
Ornithidium elianae Carnevali & M.A. Blanco—AM, GU, SU, FG

Specklinia feuilletii Luer—FG

Note: In the Checklist, the species of *Specklinia* Lindl. were placed in the synonymy of *Pleurothallis* R. Br. and one in *Trichosalpinx* Luer. *Pleurothallis feuilletii* Luer 2004 (p. 237) as well as *Specklinia feuilletii* (Luer) Luer 2004 (p. 260) are invalid because they were both published in the same volume as two names for the same taxon. The only name available is *Specklinia feuilletii* Luer validated in 2005.

Synonyms and misidentifications

- Habenaria platydactyla* Kraenzl. = *Habenaria schwackei* Barb. Rodr.
Heterotaxis proboscidea (Rchb. f.) F. Barros = *Nitidobulbon proboscidea* (Rchb. f.) Ojeda & Carnevali
Maxillaria brevipedunculata Ames & C. Schweinf.—should read “= *Nitidobulbon nasutum* (Rchb. f.) Ojeda & Carnevali”
Maxillaria nasuta Rchb. f. = *Nitidobulbon nasutum* (Rchb. f.) Ojeda & Carnevali
Maxillaria proboscidea Rchb. f. = *Nitidobulbon proboscidea* (Rchb. f.) Ojeda & Carnevali
Pleurothallis feuilletii Luer (invalid) = *Specklinia feuilletii* Luer

References

- BATISTA, J.A.N., J.B.F. DA SILVA, AND L. DE BEM BIANCHETTI. 2008. The genus *Habenaria* (Orchidaceae) in the Brazilian Amazon. Rev. Brasil. Bot. 31:105–134.
- BLANCO, M.A., G. CARNEVALI, D. BOGARÍN, AND R.B. SINGER. 2008. Further disentangling of a taxonomic puzzle: *Maxillaria ramosa*, *Ornithidium pendulum*, and a new species, *O. ellianae* (Orchidaceae). Harvard Pap. Bot. 13:135–154.
- LUER, C.A. 2004. *Pleurothallis* subgen. *Acianthera* and three allied subgenera; A second century of new species of *Stelis* of Ecuador; *Epibator*, *Ophidion*, *Zootrophion*. Monogr. Syst. Bot. Missouri Bot. Gard. 95:1–265.
- LUER, C.A. 2005. Validation of names cited in Monogr. Syst. Bot. Missouri Bot. Gard. 95. 2004. Monogr. Syst. Bot. Missouri Bot. Gard. 103:310–311.
- OJEDA I., G. CARNEVALI, AND G.A. ROMERO-GONZÁLEZ. 2009. *Nitidobulbon*, a new genus of Maxillariinae (Orchidaceae). Novon 19:96–101.
- ORMEROD, P. 2008. Studies of neotropical Goodyerinae (Orchidaceae) 3. Harvard Pap. Bot. 13:55–87.

POACEAE (p. 149–172)

- Apochloa chnoodes** (Trin.) Zuloaga & Morrone—AM, BO, GU

- Apochloa eligulata** (N.E. Br.) Zuloaga & Morrone—BO
Apochloa jauana (Davidse) Zuloaga & Morrone—BO
Apochloa sipapoensis (Swallen) Zuloaga & Morrone—AM, BO
Apochloa steyermarkii (Swallen) Zuloaga & Morrone—BO
Arthrostylidium berryi Judziewicz & Davidse—AM
Panicum chnoodes Trin.—should be deleted
Panicum eligulatum N.E. Br.—should be deleted
Panicum jauanum Davidse—should be deleted
Panicum sipapoense Swallen—should be deleted
Panicum steyermarkii Swallen—should be deleted
Raddiella vanessiae Judziewicz & Sepsenwol—FG

Synonyms and misidentifications

- Panicum auyanense* Swallen—should read “= *Apochloa eligulata* (N.E. Br.) Zuloaga & Morrone”
Panicum chnoodes Trin. = *Apochloa chnoodes* (Trin.) Zuloaga & Morrone
Panicum churunense Swallen—should read “= *Apochloa chnoodes* (Trin.) Zuloaga & Morrone”
Panicum cowanii Swallen—should read “= *Apochloa chnoodes* (Trin.) Zuloaga & Morrone”
Panicum curvifolium Swallen—should read “= *Apochloa chnoodes* (Trin.) Zuloaga & Morrone”
Panicum eligulatum N.E. Br. = *Apochloa eligulata* (N.E. Br.) Zuloaga & Morrone
Panicum fontanale Swallen—should read “= *Apochloa steyermarkii* (Swallen) Zuloaga & Morrone”
Panicum inversum Swallen—should read “= *Apochloa chnoodes* (Trin.) Zuloaga & Morrone”
Panicum jauanum Davidse = *Apochloa jauana* (Davidse) Zuloaga & Morrone
Panicum kavanayense Swallen—should read “= *Apochloa chnoodes* (Trin.) Zuloaga & Morrone”
Panicum maguirei Swallen—should read “= *Apochloa chnoodes* (Trin.) Zuloaga & Morrone”
Panicum sipapoense Swallen = *Apochloa sipapoensis* (Swallen) Zuloaga & Morrone
Panicum steyermarkii Swallen = *Apochloa steyermarkii* (Swallen) Zuloaga & Morrone
Panicum tatei Swallen—should read “= *Apochloa chnoodes* (Trin.) Zuloaga & Morrone”
Panicum tropinoblephare Tutin—should read “= *Apochloa chnoodes* (Trin.) Zuloaga & Morrone”
Panicum vannum Swallen—should read “= *Apochloa chnoodes* (Trin.) Zuloaga & Morrone”
Panicum wurdackii Swallen—should read “= *Apochloa eligulata* (N.E. Br.) Zuloaga & Morrone”

References

- JUDZIEWICZ, E.J. AND G. DAVIDSE. 2008. *Arthrostylidium berryi* (Poaceae, Bambusoideae, Bambuseae, Arthrostylidiinae), a new species from white sand shrublands in Venezuela and Colombia. Novon 18:361–365.
- JUDZIEWICZ, E.J. AND S. SEPSENWOL. 2007. The world's smallest bamboo: *Raddiella vanessiae* (Poaceae: Bambu-

- soideae: Olyreae), a new species from French Guiana. *J. Bot. Res. Inst. Texas* 1:1–7.
- SEDE, S.M., O. MORRONE, L.M. GIUSSANI, AND F.O. ZULOAGA. 2008. Phylogenetic studies in the Paniceae (Poaceae): a realignment of section *Lorea* of *Panicum*. *Syst. Bot.* 33:284–300.

ANTHOPHYTA: DICOTYLEDONAE

ACANTHACEAE (p. 183–187)

Asystasia gangetica (L.) T. Anderson—add **FG**

Note: Common weed around villages. Several specimens, cf. C. Feuillet 26 (CAY, P, US)

Synonyms and misidentifications

Ruellia fulgens (Bremek.) E. Tripp = *Polylychnis fulgens* Bremek.

Note: The merge of *Polylychnis* in *Ruellia* might be the right thing to do, but the other species of *Polylychnis* in the Checklist area has not been transferred. It seems better to keep them together in this regional work.

Reference

TRIPP, E.A. 2007. Evolutionary relationships within the species-rich genus *Ruellia* (Acanthaceae). *Syst. Bot.* 32:628–649.

ANNONACEAE (p. 190–195)

Guatteria alticola Scharf & Maas—**GU**

Guatteria anteridifera Scharf & Maas—**FG**

Guatteria anthracina Scharf & Maas—**GU, SU, FG**

Guatteria ayangannae Scharf & Maas—**GU**

Guatteria elegans Scharf—**FG**

Guatteria intermedia Scharf—**SU, FG**

Guatteria leucotricha Scharf & Maas—**FG**

Guatteria minutiflora Scharf & Maas—**GU, SU**

Guatteria montis-trinitatis Scharf—**FG**

Guatteria pakaraimae Scharf & Maas—**GU**

Guatteria pannosa Scharf & Maas—**FG**

Guatteria partangensis Scharf & Maas—**GU**

Guatteria richardii R.E. Fr.—add **SU**

Guatteria wokomungensis Scharf & Maas—**GU**

Unonopsis spectabilis Diels—**AM, BO**

Unonopsis velutina Maas—should be deleted

Synonyms and misidentifications

Unonopsis velutina Maas = *Unonopsis spectabilis* Diels

References

MAAS, P.J.M., L.Y.T. WESTRA, AND M. VERMEER. 2007. Revision of the neotropical genera *Bocageopsis*, *Onychopetalum*, and *Unonopsis* (Annonaceae). *Blumea* 52:413–554.

SCHARF, U., P.J.M. MAAS, AND W. MORAWETZ. 2006. *Guatteria richardii* (Annonaceae) rediscovered along with two new species from French Guiana. *Blumea* 51:541–552.

SCHARF, U., P.J.M. MAAS, AND W. MORAWETZ. 2005. Five new species of *Guatteria* (Annonaceae) from the Pakaraima Mountains, Guyana. *Blumea* 50:563–573.

SCHARF, U., P.J.M. MAAS, AND W. MORAWETZ. 2006. Five new species of *Guatteria* (Annonaceae) from French Guiana, Guyana and Suriname. *Blumea* 51:117–130.

SCHARF, U., P.J.M. MAAS, AND M.-F. PRÉVOST. 2008. An unusual new species of *Guatteria* (Annonaceae) from French Guiana and adjacent Brazil (Amapá). *Blumea* 53:515–523.

ARISTOLOCHIACEAE (p. 207–208)

Note: The replacement late in the process of the invalid *Aristolochia peltato-deltaidea* Hoehne with *Aristolochia kanukuensis* Feuillet upset the alignment between the checklist text and the distribution table, between k and p. The following species should read as follows.

Aristolochia kanukuensis Feuillet—delete “ined.”, correct author spelling—**GU**

Aristolochia leprieurii Duch.—**GU, FG**

Aristolochia melgueiroi Barringer & Guánchez—**AM, BO**

Aristolochia mossii S. Moore—**AM, BO, FG**

Aristolochia nummularifolia Kunth—**AM, BO**

Aristolochia pannosoides Hoehne—**BO**

Aristolochia paramaribensis Duch.—**GU, SU, FG**

Reference

FEUILLET, C. 2007. *Folia taxonomica* 1. Validation of two taxa from northern South America. *J. Bot. Res. Inst. Texas* 1:143–144.

BORAGINACEAE (p. 224–226)

Cordia bullata (L.) Roem. & Schult.—should be deleted

Cordia bullata subsp. *humilis* (Jacq.) Gaviria—should be deleted

Cordia cremersii Feuillet—should be deleted

Cordia curassavica (Jacq.) Roem. & Schult.—should be deleted

Cordia grandiflora (Desv.) Kunth—should be deleted

Cordia marioniae Feuillet—should be deleted

Cordia multispicata Cham.—should be deleted

Cordia polyccephala (Lam.) I.M. Johnst.—should be deleted

Cordia polystachya Kunth—should be deleted

Cordia roraimae I.M. Johnst.—should be deleted

Cordia schomburgkii DC.—should be deleted

Cordia stenostachya Killip ex Gaviria—should be deleted

Cordia steyermarkii Gaviria—should be deleted

Cordia tomentosa (Lam.) Roem. & Schult.—should be deleted

Euploca filiformis (Lehm.) J.I.M. Melo & Semir—**AM, BO, GU, SU, FG**

Euploca lagoensis (Warm.) Diane & Hilger—**BO, SU**

Euploca polypylla (Lehm.) J.I.M. Melo & Semir—**BO**

Euploca procumbens (Mill.) Diane & Hilger—**AM, BO, DA, GU**

Euploca ternata (Vahl) J.I.M. Melo & Semir—**BO, GU**

Heliotropium filiforme Lehm.—should be deleted
Heliotropium lagoense (Warm.) Gürke—should be deleted
Heliotropium polyphyllum Lehm.—should be deleted
Heliotropium procumbens Mill.—should be deleted
Heliotropium ternatum Vahl—should be deleted
Myriopus candidulus (Miers) Feuillet—**BO, GU**
Myriopus maculatus (Jacq.) Feuillet—**BO, GU, SU, FG**
Myriopus paniculatus (Cham.) Feuillet—**GU, SU, FG**
Myriopus paniculatus var. *spigeliiflorus* (A. DC.) Feuillet—**GU, SU, FG**

Myriopus volubilis (L.) Small—**BO, GU, FG**

Tournefortia candidula (Miers) I.M. Johnst.—should be deleted
Tournefortia maculata Jacq.—should be deleted
Tournefortia paniculata Cham.—should be deleted
Tournefortia paniculata var. *spigeliiflora* (A. DC.) I.M. Johnst.—should be deleted
Tournefortia volubilis L.—should be deleted

Varronia bullata L.—**BO, DA, GU?****Varronia bullata** subsp. **humilis** (Jacq.) Feuillet—**BO, DA, GU?****Varronia cremersii** (Feuillet) Feuillet—**FG****Varronia curassavica** Jacq.—**AM, BO, DA, GU, SU, FG****Varronia grandiflora** Desv.—**AM, BO, DA, GU****Varronia marioniae** (Feuillet) Feuillet—**GU****Varronia polyccephala** Lam.—**BO, GU, SU, FG****Varronia polystachya** (Kunth) Borhidi—**AM****Varronia roraimae** (I.M. Johnst.) J.S. Mill.—**BO****Varronia schomburgkii** (DC.) Borhidi—**BO, GU, SU, FG****Varronia stenostachya** (Gaviria) J.S. Mill.—**AM, GU****Varronia steyermarkii** (Gaviria) J.S. Mill.—**BO****Varronia tomentosa** Lam.—**SU, FG****Synonyms and misidentifications**

Cordia bullata (L.) Roem. & Schult. = *Varronia bullata* L.

Cordia bullata subsp. *humilis* (Jacq.) Gaviria = *Varronia bullata* subsp. *humilis* (Jacq.) Feuillet

Cordia cremersii Feuillet = *Varronia cremersii* (Feuillet) Feuillet

Cordia curassavica (Jacq.) Roem. & Schult. = *Varronia curassavica* Jacq.

Cordia cylindrostachya (Ruiz & Pav.) Roem. & Schult. [misidentification for *Varronia schomburgkii* (DC.) Borhidi]

Cordia ferruginea (Lam.) Roem. & Schult. [misidentification for *Varronia schomburgkii* (DC.) Borhidi]

Cordia grandiflora (Desv.) Kunth = *Varronia grandiflora* Desv.

Cordia marioniae Feuillet = *Varronia marioniae* (Feuillet) Feuillet

Cordia multispicata Cham. [not in our area]

Cordia polyccephala (Lam.) I.M. Johnst. = *Varronia polyccephala* Lam.

Cordia polystachya Kunth = *Varronia polystachya* (Kunth) Borhidi

Cordia roraimae (I.M. Johnst.) J.S. Mill. = *Varronia roraimae* (I.M. Johnst.) J.S. Mill.

Cordia schomburgkii DC. = *Varronia schomburgkii* (DC.) Borhidi

Cordia spinescens (L.) Borhidi [misidentification for *Varronia schomburgkii* (DC.) Borhidi]

Cordia stenostachya Killip ex Gaviria = *Varronia stenostachya* (Gaviria) J.S. Mill.

Cordia steyermarkii Gaviria = *Varronia steyermarkii* (Gaviria) J.S. Mill.

Cordia tomentosa (Lam.) Roem. & Schult. = *Varronia tomentosa* Lam.

Heliotropium filiforme Lehm. = *Euploca filiformis* (Lehm.) J.I.M. Melo & Semir

Heliotropium foliosum Roem. & Schult.—should be read “= *Euploca polyphylla* (Lehm.) J.I.M. Melo & Semir”

Heliotropium fumana (Fresen.) Gürke—should be read “= *Euploca ternata* (Vahl.) J.I.M. Melo & Semir”

Heliotropium lagoense (Warm.) Gürke = *Euploca lagoensis* (Warm.) Diane & Hilger

Heliotropium ottonis Lehm.—should be read “= *Euploca ternata* (Vahl.) J.I.M. Melo & Semir”

Heliotropium polyphyllum Lehm. = *Euploca ternata* (Vahl.) J.I.M. Melo & Semir

Heliotropium procumbens Mill. = *Euploca procumbens* (Mill.) Diane & Hilger

Heliotropium ternatum Vahl = *Euploca ternata* (Vahl.) J.I.M. Melo & Semir

Heliotropium trinitensis Urb.—should be read “= *Euploca lagoensis* (Warm.) Diane & Hilger”

Messerschmidia candidula Miers = *Myriopus candidulus* (Miers) Feuillet

Schleidenia fumana Fresen.—should be read “= *Euploca ternata* (Vahl.) J.I.M. Melo & Semir”

Schleidenia lagoensis Warm.—should be read “= *Euploca lagoensis* (Warm.) Diane & Hilger”

Schleidenia polyphylla (Lehm.) Fresen.—should be read “= *Euploca polyphylla* (Lehm.) J.I.M. Melo & Semir”

Tournefortia candidula (Miers) I.M. Johnst. = *Myriopus candidulus* (Miers) Feuillet

Tournefortia maculata Jacq. = *Myriopus maculatus* (Jacq.) Feuillet

Tournefortia paniculata Cham. = *Myriopus paniculatus* (Cham.) Feuillet

Tournefortia paniculata var. *spigeliiflora* (A. DC.) I.M. Johnst. = *Myriopus paniculatus* var. *spigeliiflora* (A. DC.) Feuillet

Tournefortia spigeliaeflora A. DC. = *Myriopus paniculatus* var. *spigeliiflora* (A. DC.) Feuillet

Tournefortia volubilis L. = *Myriopus volubilis* (L.) Small

References

FEUILLET, C. 2008. Folia taxonomica 4. Conspectus of *Myriopus* (Heliotropiaceae, Boraginales) in the Guiana Shield. J. Bot. Res. Inst. Texas 2:263–265.

FEUILLET, C. 2008. Folia taxonomica 11. Conspectus of *Varronia* (Cordiaceae, Boraginales) in the Guiana Shield with three new combinations. J. Bot. Res. Inst. Texas 2:837–842.

MELO, J.I.M. DE. 2009. Two new Brazilian species and new combinations in *Euploca* (Heliotropiaceae). Kew Bull. 64:285–289.

BURSERACEAE (p. 227–231)

Protium calendulinum Daly—AM, FG**Protium retusum** Daly—GU**Protium urophyllum** Daly—AM**Reference**

DALY, D.C. 2007. A new section of *Protium* from the Neotropics. Studies in neotropical Burseraceae XIII. Brittonia 59:1–24.

CAPPARACEAE (p. 234–235)

Capparis flexuosa subsp. *polyantha* (Triana & Planch.) H.H. Iltis—should be deleted

Capparis leprieurii Briquet—should be deleted*Capparis maroniensis* Benoist—should be deleted

Capparis muco H.H. Iltis, L. Cumaná, R. Delgado & Aymard—should be deleted

Cynophalla polyantha (Triana & Planch.) X. Cornejo & H.H. Iltis—BO, SU

Neocalyptrocalyx leprieurii (Briquet) H.H. Iltis—GU, SU, FG

Neocalyptrocalyx maroniensis (Benoist) X. Cornejo & H.H. Iltis—BO, GU, SU, FG

Neocalyptrocalyx morii X. Cornejo & H.H. Iltis—FG

Neocalyptrocalyx muco (H.H. Iltis, L. Cumaná, R. Delgado & Aymard) X. Cornejo & H.H. Iltis—BO

Synonyms and misidentifications

Capparis flexuosa subsp. *polyantha* (Triana & Planch.) H.H. Iltis = *Cynophalla polyantha* (Triana & Planch.) X. Cornejo & H.H. Iltis

Capparis leprieurii Briquet = *Neocalyptrocalyx leprieurii* (Briquet) H.H. Iltis

Capparis maroniensis Benoist = *Neocalyptrocalyx maroniensis* (Benoist) X. Cornejo & H.H. Iltis

Capparis muco H.H. Iltis, L. Cumaná, R. Delgado & Aymard = *Neocalyptrocalyx muco* (H.H. Iltis, L. Cumaná, R. Delgado & Aymard) X. Cornejo & H.H. Iltis

Capparis polyantha Triana & Planch. = *Cynophalla polyantha* (Triana & Planch.) X. Cornejo & H.H. Iltis

References

CORNEJO, X. AND H.H. ILTIS. 2008. Two new genera of Capparaceae: *Sarcotoxicum* and *Mesocapparis* stat. nov., and the reinstatement of *Neocalyptrocalyx*. Harvard Pap. Bot. 13:103–116.

CORNEJO, X. AND H.H. ILTIS. 2008. New combinations in South American Capparaceae. Harvard Pap. Bot. 13:117–120.

CORNEJO, X. AND H.H. ILTIS. 2008. *Neocalyptrocalyx morii* (Capparaceae), a new species from Central French Guiana. J. Bot. Res. Inst. Texas 2:807–810.

CLUSIACEAE (p. 247–253)

Tovomita gazelii Poncy & Offroy—FG**Reference**

PONCY, O. AND B. OFFROY. 2006. Une nouvelle espèce de

Tovomita Aubl. (Clusiaceae) de Guyane française. Adansonia, sér. 3, 28(1):113–117.

COMBRETACEAE (p. 254–255)

The references are misplaced on the bottom of page 253 after those of the Clusiaceae.

COMPOSITAE (p. 255–269)

Galinsoga parviflora Cab.—GU

DROSERACEAE (p. 282)

Drosera solaris A. Fleischm., Wistuba & S. McPherson—GU

Reference

FLEISCHMANN, A., A. WISTUBA, AND S. MCPHERSON. 2007. *Drosera solaris* (Droseraceae), a new sundew from the Guayana Highlands. Willdenowia 37:551–555.

EBENACEAE (p. 282–283)

Diospyros gallo B. Walln.—BO

Diospyros ottohuberi B. Walln.—BO

Diospyros tepu B. Walln.—BO

Reference

WALLNÖFER, B. 2000. Neue *Diospyros*-Arten (Ebenaceae) aus Südamerika—II. Ann. Naturhist. Mus. Wien, ser. B, 102:419–432.

EUPHORBIACEAE (p. 290–300)

Paul Berry

Astraea lobata (L.) Klotzsch—BO, DA, GU, SU, FG

Croton lobatus L.—should be deleted

Croton argyrophyloides Kunth—should be deleted

Croton argyrophyllus Kunth—should be only BO

Croton cajucara Benth.—add FG

Croton essequiboensis Klotzsch—remove “[= *Croton populifolius* P. Mill.?]”

Croton kaieteuri Jabl.—should be deleted

Croton kavanayensis Steyermark.—should be deleted

Croton aff. nepetifolius Baill.—should replace *Croton nepetifolius*

Croton niveus Jacq.—BO

Croton polypleurus Croizat—add AM

Croton rhamnifolius Kunth—should be deleted

Croton roraimensis var. *roraimensis*—should be deleted

Croton rottlerifolius Baill.—should be deleted

Croton sacaquinha Croizat—GU

Croton sampatik Muell. Arg.—AM

Croton sp. A—should be deleted

Croton sp. B—should be deleted

Croton sp. G—should be deleted

Croton sp. H—should be deleted

Croton sp. X [= *Croton nervosus* Klotzsch, nom. illeg.]—AM, BO, GU

Croton tricolor Klotzsch—FG

Euphorbia comosa Vell.—erase “SU?”

Euphorbia aff. *laurifolia* Juss.—should be deleted

Euphorbia pulcherrima Willd. Ex Klotsch—correct epithet spelling & add FG

Euphorbia tirucalli L.—add FG

Euphorbia tithymaloides L.—BO, GU, SU, FG

Euphorbia tithymaloides subsp. *tithymaloides* [native to GU, SU; cultivated in all; collected from]—BO, GU, SU, FG

Manihot baccata Allem—FG

Micrandra sp. A—should be deleted

Micrandra spruceana (Baill.) R.E. Schult.—remove the mention “[record probably misident.]”

Note: Next species in the Checklist, *M. sprucei* (Muell. Arg.) R.E. Schult., is a different species also present in the area covered by the checklist.

Synonyms and misidentifications

Chamaescye adenoptera (Bertol.) Small = *Euphorbia dioeca*—should be deleted

Note: They are two different species and *C. adenoptera* is not in our area.

Croton argyrophylloides Kunth = *Croton tricolor* Klotzsch

Croton barlettii Lanj.—should be deleted

Croton glandulosus subsp. *hirtus* (L'Hérit.) Croizat, "Bull."—should be deleted

Note: In the Checklist it is a repeat of the entry 2 lines above: "Croton glandulosus subsp. *hirtus* (L'Hérit.) Croizat."

Croton kaieteuri Jabl. = *Croton cuneatus* Klotzsch

Croton kavanayensis Steyermark. = *Croton matourensis* Aubl.

Croton lobatus L. = *Astraea lobata* (L.) Klotzsch

Croton micans Sw. = *Croton argyrophyllus*—instead of “=” it should read “misidentification for”

Croton nervosus Klotzsch [nom. illeg.] = *Croton argyrophyllus*—should read “= *Croton* sp. X”

Croton populifolius P. Mill.—should be deleted

Croton rhamnifolius Kunth (illeg.) = *Croton conduplicatus* Kunth

Croton sp. A = *Croton parodianus* Croizat

Croton sp. B = *Croton sampatik* Muell. Arg.

Croton sp. G = *Croton polypleurus* Croizat

Croton sp. H = *Croton niveus* Jacq.

Euphorbia aff. *laurifolia* Juss. [misidentification; Andean species]

Euphorbia tithymaloides L.—should be deleted

Euphorbia tithymaloides subsp. *tithymaloides*—should be deleted

Micrandra sp. A = *Micrandra inundata* P.E. Berry & Wiedenhoef

Pedilanthus tithymaloides (L.) Poit. = *Euphorbia tithymaloides* L.

Pedilanthus tithymaloides subsp. *tithymaloides* = *Euphorbia tithymaloides* subsp. *tithymaloides*

Reference

COBB, L., M.J. JANSEN-JACOBS, AND R. VAN DER HAM. 2007.

Curtia ayangannae, a new species of Gentianaceae from the Pakaraima Mountains, Guyana. *Blumea* 52:5–10.

GESNERIACEAE (p. 309–312)

C. Feuillet and L.E. Skog

Alloplectus cristatus (L.) Mart.—should be deleted

Alloplectus cristatus var. *epirotes* Leeuwenb.—should be deleted

Alloplectus savannarum C.V. Morton—should be deleted

Besleria neblinae Feuillet—AM

Besleria sp. A—should be deleted

Besleria sp. B—should be deleted

Besleria sp. C—should be deleted

Besleria yatuana Feuillet—AM

Crantzia epirotes (Leeuwenb.) J.L. Clark—GU

Episcia duidae Feuillet—AM

Episcia rubra Feuillet—AM

Episcia sp. A—should be deleted

Episcia sp. B—should be deleted

Gloxinia erinoides (DC.) E.H. Roalson & J.K. Boggan—BO

Gloxinia purpurascens (Rusby) Wiehler—should be deleted

Koellikeria erinoides (DC.) Mansf.—should be deleted

Nautilocalyx crenatus Feuillet—AM

Nautilocalyx orinocensis Feuillet—AM

Nautilocalyx paujiensis Feuillet—BO

Nautilocalyx pusillus Feuillet—BO

Nautilocalyx roseus Feuillet—BO

Nautilocalyx ruber Feuillet—AM

Nautilocalyx sp. A—should be deleted

Nautilocalyx sp. B—should be deleted

Nautilocalyx sp. C—should be deleted

Nautilocalyx sp. D—should be deleted

Nautilocalyx sp. E—should be deleted

Nautilocalyx sp. F—should be deleted

Nautilocalyx sp. G—should be deleted

Nautilocalyx vestitus Feuillet—BO

Nematanthus savannarum (C.V. Morton) J.L. Clark—BO, GU, SU

Paradrymonia glandulosa Feuillet—AM

Paradrymonia hamata Feuillet—AM

Paradrymonia maculata (Hook. f.) Wiehler—add DA

Paradrymonia lutea Feuillet—AM

Paradrymonia maguirei Feuillet—AM

Paradrymonia sp. A—should be deleted

Paradrymonia sp. B—should be deleted

Paradrymonia sp. C—should be deleted

Paradrymonia sp. D—should be deleted

Paradrymonia sp. E—should be deleted

Paradrymonia tepui Feuillet—AM

Paradrymonia yatua Feuillet—AM

Seemannia purpurascens Rusby—GU, FG

Synonyms and misidentifications

Alloplectus cristatus var. *epirotes* Leeuwenb. = *Crantzia epirotes* (Leeuwenb.) J.L. Clark

GENTIANACEAE (p. 304–309)

Curtia ayangannae L. Cobb & Jans.-Jac.—GU

Alloplectus savannarum C.V. Morton = *Nematanthus savannarum* (C.V. Morton) J.L. Clark
Besleria sp. A = *Besleria neblinae* Feuillet
Besleria sp. B = *Besleria neblinae* Feuillet
Besleria sp. C = *Besleria yatuana* Feuillet
Episcia sp. A = *Episcia rubra* Feuillet
Episcia sp. B = *Episcia duidae* Feuillet
Gloxinia purpurascens (Rusby) Wiegler = *Seemannia purpurascens* Rusby
Koellikeria erinoides (DC.) Mansf. = *Gloxinia erinoides* (DC.) E.H. Roalson & J.K. Boggan
Nautilocalyx sp. A = *Nautilocalyx vestitus* Feuillet
Nautilocalyx sp. B = *Nautilocalyx orinocensis* Feuillet
Nautilocalyx sp. C = *Nautilocalyx roseus* Feuillet
Nautilocalyx sp. D = *Nautilocalyx paujiensis* Feuillet
Nautilocalyx sp. E = *Nautilocalyx ruber* Feuillet
Nautilocalyx sp. F = *Nautilocalyx crenatus* Feuillet
Nautilocalyx sp. G = *Nautilocalyx pusillus* Feuillet
Paradrymonia sp. A = *Paradrymonia lutea* Feuillet
Paradrymonia sp. B = *Paradrymonia hamata* Feuillet
Paradrymonia sp. C = *Paradrymonia glandulosa* Feuillet
Paradrymonia sp. D = *Paradrymonia tepui* Feuillet
Paradrymonia sp. E = *Paradrymonia maguirei* Feuillet

References

- CLARK, J.L. 2005. A Monograph of *Alloplectus* (Gesneriaceae). *Selbyana* 25:182–209.
- FEUILLET, C. 2008. *Folia Taxonomica* 6. Two new species of *Besleria* (Gesneriaceae) from the Venezuelan Guayana. *J. Bot. Res. Inst. Texas* 2:269–273.
- FEUILLET, C. 2008. *Folia Taxonomica* 7. Two new species and a new section in *Episcia* (Gesneriaceae) from the Venezuelan Guayana. *J. Bot. Res. Inst. Texas* 2:275–280.
- FEUILLET, C. 2008. *Folia Taxonomica* 10. New species of *Nautilocalyx* (Gesneriaceae: Episcieae) from the Venezuelan Guayana. *J. Bot. Res. Inst. Texas* 2:825–836.
- FEUILLET, C. 2009. *Folia Taxonomica* 12. *Paradrymonia* (Gesneriaceae, Episcieae) from the Guiana Shield: *P. maguirei* a new species from Amazonas, and distribution and floral morphology of *P. maculata*. *J. Bot. Res. Inst. Texas* 3:133–138.
- FEUILLET, C. 2009. *Folia Taxonomica* 15. Five new species of *Paradrymonia* subgenus *Paradrymonia* (Gesneriaceae, Episcieae) from the Venezuelan Guayana. *J. Bot. Res. Inst. Texas* 3:583–592.
- ROALSON, E.H., J.K. BOGGAN, AND L.E. SKOG. 2005. Reorganization of tribal and generic boundaries in the *Gloxinieae* (Gesneriaceae: Gesneroideae) and the description of a new tribe in the Gesneroideae, Sphaerorrhizeae. *Selbyana* 25:225–238.
- SKOG, L.E. AND C. FEUILLET. 2008. Gesneriaceae. In: M.J.

Jansen-Jacobs, ed. *Flora of the Guianas* ser. A, 26. 136 pages. Royal Botanic Gardens Kew, Richmond.

HIPPOCRATEACEAE (p. 313–314)

In the family authors, after Mennega, delete “†”

LEGUMINOSAE-CAESALPINIOIDEAE (p. 333–346)

Paloue sandwithii Redden—GU

Reference

REDDEN, K.M. 2008. A new species of *Paloue* (Leguminosae: Caesalpinioideae: Detarieae) from Guyana, South America. *Brittonia* 60:257–260.

LEGUMINOSAE-FABOIDEAE (p. 346–365)

Aldina diplogyne Stergios & Aymard—BO

Guianodendron praeclarum (Sandwith) Schütz Rodrigues & Azevedo—GU

Swartzia anomala R.S. Cowan—add GU

Swartzia benthamiana var. *yatuensis* R.S. Cowan—should be deleted

Swartzia brachyrachis Harms—should be deleted

Swartzia brachyrachis var. *glabrata* R.S. Cowan—should be deleted

Swartzia canescens Torke—FG, SU

Swartzia glabrata (R.S. Cowan) Torke—BO, GU, SU

Swartzia kaieteurensis Torke—delete “sp. nov. ined.”

Swartzia ramiflora Torke—AM

Swartzia rosea Mart. ex Benth.—AM

Swartzia stipellata R.S. Cowan—should be deleted

Trischidium alternum (Benth.) H.E. Ireland—GU

Synonyms and misidentifications

Bocoa alterna (Benth.) R.S. Cowan = *Trischidium alternum* (Benth.) H.E. Ireland

Swartzia alterna Benth. = *Trischidium alternum* (Benth.) H.E. Ireland

Swartzia benthamiana var. *yatuensis* R.S. Cowan = *Swartzia rosea* Mart. ex Benth.

Swartzia brachyrachis var. *glabrata* R.S. Cowan = *Swartzia glabrata* (R.S. Cowan) Torke

Swartzia stipellata R.S. Cowan = *Swartzia anomala* R.S. Cowan

References

IRELAND, H.E. 2007. Taxonomic changes in the South American genus *Bocoa* (Leguminosae-Swartzieae): reinstatement of the name *Trischidium*, and a synopsis of both genera. *Kew Bull.* 62:333–350.

SCHÜTZ RODRIGUES, R. AND A.M.G. AZEVEDO. 2006. *Guianodendron*, a new genus of Leguminosae (Papilionoideae) from South America. *Novon* 16:129–132.

STERGIOS, B. AND G.A. AYMARD. 2008. A striking new species of *Aldina* (Fabaceae-Swartzieae-Aldinae) from the Venezuelan Guayana highlands. *Harvard Pap. Bot.* 13(1):29–33.

TORKE, B.M. 2007. New combinations and species-level synonyms in *Swartzia* (Leguminosae: Papilionoideae). *Novon* 17:110–119.

TORKE, B.M. 2007. Three new species of *Swartzia* (Leguminosae-Papilionoideae) from northern South America. *Bot. J. Linn Soc.* 153:343–355.

LEGUMINOSAE-MIMOSOIDEAE (p. 365–376)

Inga loubryana Poncy—GU, FG

Reference

PONCY, O. 2007. A new species of *Inga* Mill. (Fabaceae, Mimosoideae) from the Guianas. *Adansonia* sér. 3, 29(2):249–254.

LISSOCARPACEAE (p. 379)

Two of the references by Wallnöfer placed in the Ebenaceae belong here.

LORANTHACEAE (p. 381–384)

Oryctina atrolineata Kuijt—GU

Reference

KUIJT, J. 2003. A new species of *Oryctina* (Loranthaceae) from Guyana. *Brittonia* 55:169–172.

MALPIGHIACEAE (p. 386–393)

Alicia macrodisca (Triana & Planch.) W.R. Anderson—AM, BO GU, SU

Carolus sinemariensis (Aubl.) W.R. Anderson—AM, BO, GU, FG

Christianella glandulifera (Cuatrec.) W.R. Anderson—AM

Christianella surinamensis (Kosterm.) W.R. Anderson—AM, GU, SU

Malpighiodes guianensis (W.R. Anderson) W.R. Anderson—GU, SU, FG

Malpighiodes liesneri (W.R. Anderson) W.R. Anderson—AM

Mascagnia castanea (Cuatrec.) W.R. Anderson—should be deleted

Mascagnia glandulifera Cuatrec.—should be deleted

Mascagnia guianensis W.R. Anderson—should be deleted

Mascagnia liesneri W.R. Anderson—should be deleted

Mascagnia macrodisca (Triana & Planch.) Nied.—should be deleted

Mascagnia microcarpa (Sandwith) W.R. Anderson—should be deleted

Mascagnia sinemariensis (Aubl.) Griseb.—should be deleted

Mascagnia surinamensis (Kosterm.) W.R. Anderson—should be deleted

Niedenzuella acutifolia (Cav.) W.R. Anderson—GU, SU, FG

Niedenzuella castanea (Cuatrec.) W.R. Anderson—AM

Niedenzuella poeppigiana (A. Juss.) W.R. Anderson—AM, GU

Tetrapterys acutifolia Cav.—should be deleted

Tetrapterys poeppigiana (A. Juss.) Griseb.—should be deleted

Synonyms and misidentifications

Banisteria sinemariensis Aubl.—should read “= *Carolus sinemariensis* (Aubl.) W.R. Anderson”

Diplopterys microcarpa (Sandwith) W.R. Anderson—should read “= *Carolus sinemariensis* (Aubl.) W.R. Anderson”

Heteropterys castanea (Cuatrec.) W.R. Anderson—should read “= *Niedenzuella castanea* (Cuatrec.) W.R. Anderson”

Hiraea macrodisca (Triana & Planch.) Nied.—should read “= *Alicia macrodisca* (Triana & Planch.) W.R. Anderson”

Hiraea poeppigiana A. Juss.—should read “= *Niedenzuella poeppigiana* (A. Juss.) W.R. Anderson”

Hiraea schizoptera Turcz.—should read “= *Carolus sinemariensis* (Aubl.) W.R. Anderson”

Malpighia volubilis Sims—should read “= *Carolus sinemariensis* (Aubl.) W.R. Anderson”

Mascagnia castanea (Cuatrec.) W.R. Anderson = *Niedenzuella castanea* (Cuatrec.) W.R. Anderson

Mascagnia anisopetala var. *macrodisca* (Triana & Planch.) Kosterm.—should read “= *Alicia macrodisca* (Triana & Planch.) W.R. Anderson”

Mascagnia glandulifera Cuatrec.—should read “= *Christianella glandulifera* (Cuatrec.) W.R. Anderson”

Mascagnia guianensis W.R. Anderson—should read “= *Malpighiodes guianensis* (W.R. Anderson) W.R. Anderson”

Mascagnia hondensis (Sandwith) W.R. Anderson—should read “= *Carolus sinemariensis* (Aubl.) W.R. Anderson”

Mascagnia liesneri W.R. Anderson—should read “= *Malpighiodes liesneri* (W.R. Anderson) W.R. Anderson”

Mascagnia macrodisca (Triana & Planch.) Nied. = *Alicia macrodisca* (Triana & Planch.) W.R. Anderson

Mascagnia microcarpa (Sandwith) W.R. Anderson = *Carolus sinemariensis* (Aubl.) W.R. Anderson

Mascagnia multiglandulosa var. *surinamensis* Kosterm. = *Christianella surinamensis* (Kosterm.) W.R. Anderson

Mascagnia poeppigiana (A. Juss.) W.R. Anderson—should be deleted

Mascagnia sinemariensis (Aubl.) Griseb. = *Carolus sinemariensis* (Aubl.) W.R. Anderson

Mascagnia subsericea Cuatrec.—should read “= *Niedenzuella poeppigiana* (A. Juss.) Griseb.”

Mascagnia surinamensis (Kosterm.) W.R. Anderson = *Christianella surinamensis* (Kosterm.) W.R. Anderson

Tetrapterys acutifolia Cav. = *Niedenzuella acutifolia* (Cav.) W.R. Anderson

Tetrapterys poeppigiana (A. Juss.) Griseb.—should read “= *Niedenzuella poeppigiana* (A. Juss.) Griseb.”

Reference

ANDERSON, W.R. 2006. Eight segregates from the neotropical genus *Mascagnia* (Malpighiaceae). *Novon* 16:168–204.

MORACEAE (p. 423–428)

Ficus duartei C.C. Berg & Carauta—FG

Ficus duckeana C.C. Berg & Ribeiro—FG

Ficus popenoei subsp. **malacocarpa** (Standl.) C.C. Berg—
AM, BO, DA, GU, SU, FG

Synonyms and misidentifications

Ficus malacocarpa Standl. = *Ficus popenoei* subsp. *malacocarpa* (Standl.) C.C. Berg

References

- BERG, C.C. AND J.P.P. CARAUTA. 2002 [2003]. New species of *Ficus* (Moraceae) from Brazil. *Brittonia* 54:236–250.
BERG, C.C. 2007. New species of *Ficus* (Moraceae) from South America. *Blumea* 52:569–594.

MYRSINACEAE (p. 430–434)

Cybianthus prevostiae Pipoly—correct species spelling—FG

Reference

- PIPOLY, J.J. 1999. Two new species of Myrsinaceae from French Guiana. *Brittonia* 51:128–133.

MYRTACEAE (p. 434–442)

B. Holst and C. Feuillet

Calycolpus cochleatus McVaugh—Huber 9375 (MO, VEN)—add BO

Calycorectes batavorum McVaugh—should be deleted

Calycorectes enormis McVaugh—should be deleted

Calycorectes guyanensis Mattos—should be deleted

Calycorectes maximus McVaugh—should be deleted

Calyptranthes forsteri O. Berg—Oldeman B-2825 (CAY)—add FG

Calyptranthes pulchella DC.—Cremers 8213 (CAY)—add FG

Calyptranthes sp.—was in the Checklist as *C. lepida* McVaugh

Eugenia batavorum (McVaugh) Mattos—SU

Eugenia enormis (McVaugh) Mattos—BO, DA

Eugenia exaltata O. Berg—Acevedo et al. 5750 (CAY)—add SU

Eugenia gomesiana O. Berg—Fleury 1012 (CAY)—add FG

Eugenia maxima (McVaugh) Mattos—SU

Eugenia protenta McVaugh—Sanoja 2075 (VEN)—add DA

Marlierea biptera Amshoff—Service Foretier 6259 (CAY)—add FG

Myrcia gonini McVaugh—de Granville 1853 (CAY)—add FG

Myrcia tafelbergica Amshoff—Oldeman T-454 (CAY)—add FG

Eugenia galbaoensis Mattos—FG

Synonyms and misidentifications

Calycorectes batavorum McVaugh = *Eugenia batavorum* (McVaugh) Mattos

Calycorectes enormis McVaugh = *Eugenia enormis* (McVaugh) Mattos

Calycorectes guyanensis Mattos = *Eugenia galbaoensis* Mattos

Calycorectes maximus McVaugh = *Eugenia maxima* (McVaugh) Mattos

Calyptranthes lepida McVaugh—misidentification for an undescribed species

Eugenia aubletiana Mattos (nom. illeg.) = *Eugenia latifolia* Aubl.

Eugenia yatuae (McVaugh) Mattos (superfluous) = *Eugenia yatuae* (McVaugh) Holst

References

- HOLST, B.K. 2002. New species and notes on Myrtaceae from northern South America. *Selbyana* 23:137–180.
MATTOS, J.R. 1996. Novitates taxonomicas en Myrtaceae XII. Loefgrênia 108:1–2.
MATTOS, J.R. 2005. Considerações sobre *Calycorectes* Berg. Loefgrênia 120:1–24.

OCHNACEAE (p. 445–449)

- Ouratea candelabra** Sastre—GU
Ouratea jansen-jacobsiae Sastre—GU, SU
Ouratea miniguianensis Sastre—FG
Ouratea pseudogigantophylla Sastre—SU
Ouratea retrorsa Sastre—FG
Ouratea sipaliwiniensis Sastre—SU
Ouratea superimpressa Sastre—GU
Ouratea takutuensis Sastre—GU

References

- ASTRE C. 2006. Deux nouvelles espèces d'*Ouratea* (Ochnaceae) des Guyanes. *Adansonia*, sér. 3, 28(1):119–127.
ASTRE C. 2007. Six nouvelles espèces d'*Ouratea* (Ochnaceae) des Guyanes. *Adansonia*, sér. 3, 29(1):77–91.
WALLNÖFER B. 1998: A revision of *Perissocarpa* Steyermark & Maguire (Ochnaceae). *Ann. Naturhist. Mus. Wien*, ser. B, 100:683–707.

PASSIFLORACEAE (p. 454–456)

- Passiflora angusta** Feuillet & J.M. MacDougal—BO, GU
Passiflora arta Feuillet—remove “ined.”—GU
Passiflora compar Feuillet—remove “ined.”—GU, FG
Passiflora curva Feuillet—FG
Passiflora davidii Feuillet—FG
Passiflora foetida var. *orinocensis* (Killip) Feuillet—remove “ined.”
Passiflora rufa Feuillet & J.M. MacDougal—GU, SU, FG
Passiflora sp. D—should be deleted
Passiflora sp. G—should be deleted
Passiflora sp. H—should be deleted
Passiflora tecta Feuillet—BO, GU, SU?

Synonyms and misidentifications

- Passiflora* sp. D = *Passiflora angusta* Feuillet & J.M. MacDougal
Passiflora sp. G = *Passiflora davidii* Feuillet
Passiflora sp. H = *Passiflora rufa* Feuillet & J.M. MacDougal

References

- FEUILLET C. 2007. Folia taxonomica 1. Validation of two taxa from northern South America. *J. Bot. Res. Inst. Texas* 1:143–144.
FEUILLET C. 2007. Folia taxonomica 2. New species of *Passiflora* subgenus *Passiflora* (Passifloraceae) from the Guianas. *J. Bot. Res. Inst. Texas* 1:819–825.
FEUILLET C. 2007. Folia taxonomica 3. *Passiflora davidii*

(Passifloraceae), a new species in subgenus *Passiflora* and a key to the sections of supersection *Stipulata*. J. Bot. Res. Inst. Texas 1:895–898.

FEUILLET C. 2008. Folia taxonomica 8. *Passiflora tecta*, a new species in subgenus *Passiflora* from the Guianas. J. Bot. Res. Inst. Texas 2:281–283.

FEUILLET C. 2009. Folia taxonomica 13. *Passiflora curva* (Passifloraceae), a new species in subg. *Passiflora* supersect. *Coccinea* from French Guiana. J. Bot. Res. Inst. Texas 3:577–579.

FEUILLET C. AND J.M. MACDOUGAL 2008. Folia taxonomica 9. New species of *Passiflora* subg. *Decaloba* (Passifloraceae) from northern South America. J. Bot. Res. Inst. Texas 2:817–824.

PIPERACEAE (p. 458–466)

Piper aulacospermum Callejas—**FG**

Piper ciliomarginatum Görts & Christen.—**GU**

Piper remotinervium Görts—**GU, FG**

Reference

GÖRTS-VAN RIJN, A.R.A. AND R. CALLEJAS. 2005. Three new species of *Piper* (Piperaceae) from the Guianas. Blumea 50:367–373.

RUBIACEAE (p. 479–507)

P.G. Delprete

The molecular phylogenies published by Razafimandimbison et al. (2009) support the separation of *Appunia* Hook. f. from *Morinda* L., therefore two new combinations in *Appunia* from the Guayana Shield are necessary. The phylogenetic studies of Dessein (2003), Dessein et al. (2006a), Groeninckx et al. (2009a, 2009b), and Lens et al. (2009) confirm the wide delimitation of the genus *Spermacoce* L. (incl. *Borreria* G. Mey.), as already treated by Adams (in Burger & Taylor, 1993), Boom & Delprete (2002), Delprete et al. (2005), Delprete & Cortés ("2006" 2007), Delprete (2007), De Vré (2000), Dessein et al. (2003, 2006a), and Vaes et al. (2006). A recent re-delimitation of *Chiococca nitida* Benth. was published by Delprete ("2004" [2005]), and the necessary synonymies are listed below. Additional synonyms and rearrangements here presented are based on direct observations and ongoing revisionary and floristic treatments by the present author.

Appunia aurantiaca (K. Krause) Sandwith—**GU?**

Appunia brachycalyx (Bremek.) Steyerm.—**GU, SU, FG**

Appunia calycina (Benth.) Sandwith—**GU**

Appunia debilis Sandwith—**GU**

Appunia longipedunculata (Steyerm.) Delprete, comb. nov.—**AM**

Note: BASIONYM: *Morinda longipedunculata* Steyerm., Ann. Missouri Bot. Gard. 75:340. 1988; TYPE: VENEZUELA: Sierra de la Neblina, 22–23 Jul 1984, Davidse 27651 (HOLOTYPE: MO, ISOTYPE: VEN).

Appunia peduncularis (Kunth) Delprete, comb. nov.—**AM, GU**

Note: BASIONYM: *Morinda peduncularis* Kunth in Humb. & Bonpl., Nov. Gen. Sp. 3(12, quarto): 380. 1819. TYPE: VENEZUELA: Río Orinoco, San Borja, Humboldt & Bonpland s.n. (HOLOTYPE: P-Bonpl.).

Appunia surinamensis (Bremek.) Steyerm.—**SU**

Appunia tenuiflora Hook. f.—**AM, BO, GU, SU, FG**

Appunia venezuelensis Steyerm.—**BO**

Borreria alata (Aubl.) DC.—should be deleted

Borreria bolivarensis Steyerm.—should be deleted

Borreria capitata (Ruiz & Pav.) DC.—should be deleted

Borreria capitata var. *capitata*—should be deleted

Borreria capitata var. *suaveolens* (G. Mey.) Steyerm.—should be deleted

Borreria capitata var. *tenella* (Kunth) Steyerm.—should be deleted

Borreria cataractarum Steyerm.—should be deleted

Borreria confertifolia Steyerm.—should be deleted

Borreria densiflora DC.—should be deleted

Borreria hispida Spruce ex K. Schum.—should be deleted

Borreria intricata Steyerm.—should be deleted

Borreria jangouxii Steyerm.—should be deleted

Borreria latifolia (Aubl.) K. Schum.—should be deleted

Borreria macrocephala Standl. & Steyerm.—should be deleted

Borreria ovalifolia M. Martens & Galeotti—should be deleted

Borreria prostrata (Aubl.) Miq.—should be deleted

Borreria pygmaea Spruce ex K. Schum.—should be deleted

Borreria remota (Lam.) Bacigalupo & E.L. Cabral—should be deleted

Borreria repens DC.—should be deleted

Borreria verticillata (L.) G. Mey.—should be deleted

Borreria wurdackii Steyerm.—should be deleted

Borreria xanthophylla Bremek.—should be deleted

Calycophyllum intonsum Steyerm.—**GU**

Calycophyllum merumense Steyerm.—**GU**

Calycophyllum spectabile Steyerm.—**GU**

Carapichea guianensis Aubl.—**SU, FG**

Carapichea ligularis (Rudge) Delprete—**GU, SU, FG**

Chimarrhis cymosa Jacq.—should be deleted [endemic to Lesser Antilles; cf. Delprete, 1999, Flora Neotropica 77:152–155].

Chiococca multipedunculata Steyerm.—should be deleted

Chiococca nitida var. *amazonica* Muell. Arg.—should be deleted

Chiococca nitida var. *chimantensis* Steyerm.—should be deleted

Chiococca nitida var. *nitida*—should be deleted

Coussarea longilaciniata Delprete—**GU**

Coussarea spicata Delprete—**FG**

Diodella apiculata (Willd. ex Roem. & Schult.) Delprete—**AM, BO, GU, SU, FG**

Note: Delprete 2004, in A. Reis, Fl. Ilustrada Catar., Rubiaceas I:169.

Diodella radula (Willd. ex Roem. & Schult.) Delprete—**BO**

Note: Delprete 2004, in A. Reis, Fl. Ilustrada Catar., Rubiaceas I:174.

Diodelia sarmentosa (Sw.) Bacigalupo & E.L. Cabral ex Borhidi—AM, BO, DA, GU, SU, FG

Note: Borhidi. 2006. Rubiáceas de México. 186.

Diodia apiculata (Willd. ex Roem. & Schult.) K. Schum.—should be deleted

Diodia hyssopifolia (Willd. ex Roem. & Schult.) Cham. & Schltdl.—should be deleted

Diodia multiflora DC.—should be deleted

Diodia ocytropis (Willd. ex Roem. & Schult.) Bremek.—should be deleted

Diodia pulchristipula Bremek.—should be deleted

Diodia radula (Willd. & Hoffmanns. ex Roem. & Schult.) Cham. & Schltdl.—should be deleted

Diodia radula subsp. *venezuelensis* Steyermark.—should be deleted

Diodia sarmentosa Sw.—should be deleted

Diodia spicata Miq.—should be deleted

Diodia teres Walter—should be deleted

Faramea pedunculata (Bremek.) Delporte—GU, FG

Faramea sessiliflora Aubl. var. *pedunculata* Bremek.—should be deleted

Faramea sessiliflora var. *sessiliflora*—should be deleted

Hoffmannia megistophylla Standl.—should be deleted

Ibetalia surinamensis Bremek.—should be deleted

Kutchubaea surinamensis (Bremek.) C.H. Perss.—SU, FG

Note: C.H. Perss. 2005. Revista Biol. Neotrop. 2:67.

Morinda brachycalyx (Bremek.) Steyermark.—should be deleted

Morinda calycina (Benth.) Steyermark.—should be deleted

Morinda debilis (Sandwith) Steyermark.—should be deleted

Morinda longiloba (Steyermark.) Steyermark.—should be deleted

Morinda longipedunculata Steyermark. [Sierra de la Neblina]—should be deleted

Morinda peduncularis Kunth—should be deleted

Morinda sparsiflora (Steyermark.) Steyermark.—should be deleted

Morinda surinamensis (Bremek.) Steyermark.—should be deleted

Morinda tenuiflora (Benth.) Steyermark.—should be deleted

Morinda tenuiflora var. *leiophylla* (Steyermark.) Steyermark.—should be deleted

Palicourea lemoniana C.M. Taylor—AM

Patima guianensis Aubl.—add SU

Psychotria ligularis (Rudge) Steyermark.—should be deleted

Psychotria ligularis var. *ligularis*—should be deleted

Semaphyllanthe intonsa (Steyermark.) L. Andersson—should be deleted

Semaphyllanthe merumensis (Steyermark.) L. Andersson—should be deleted

Semaphyllanthe spectabilis (Steyermark.) L. Andersson—should be deleted

Spermacoce alata Aubl.—AM, GU, SU, FG

Spermacoce bolivarensis (Steyermark.) Govaerts—BO

Spermacoce capitata Ruiz & Pav.—AM, BO, GU, SU, FG

Spermacoce cataractarum (Steyermark.) Govaerts—BO, GU

Spermacoce confertifolia (Steyermark.) Govaerts—AM, BO, GU

Spermacoce densiflora (DC.) Liogier—AM, BO, GU

Spermacoce exilis (L.O. Williams) C.D. Adams—AM, BO, DA, GU, SU, FG

Spermacoce hexangularis Aubl.—FG

Spermacoce hyssopifolia Willd. ex Roem. & Schult. (1818); non Kunth (1819)—AM, BO, DA, GU, SU, FG

Spermacoce intricata (Steyermark.) Govaerts—AM

Spermacoce jangouxii (Steyermark.) Govaerts—AM

Spermacoce latifolia Aubl.—AM, BO, DA, GU, SU, FG

Spermacoce macrocephala (Standl. & Steyermark.) Govaerts—AM

Spermacoce multiflora (DC.) Delporte—DA

Spermacoce neohispida Govaerts—AM, BO, GU, SU, FG

Spermacoce ocytropis Willd. ex Roem. & Schult.—AM, BO, DA, GU, SU, FG

Spermacoce ovalifolia (M. Martens & Galeotti) Hemsl.—GU

Spermacoce prostrata Aubl.—AM, BO, DA, GU, SU, FG

Spermacoce pulchristipula (Bremek.) Delporte—GU, SU

Spermacoce remota Lam.—AM, BO, GU, SU, FG

Spermacoce spicata (Miq.) Delporte—AM, GU, SU, FG

Spermacoce spruceana Kuntze—AM, BO

Spermacoce suaveolens (G. Mey.) Kuntze—GU, SU

Spermacoce tenella Kunth—AM, BO, GU, SU, FG

Spermacoce verticillata L.—AM, BO, DA, GU, SU, FG

Spermacoce wurdackii (Steyermark.) Govaerts—AM

Spermacoce xanthophylla (Bremek.) Govaerts—SU

Synonyms and misidentifications

Alibertia surinamensis (Bremek.) Steyermark. = *Kutchubaea surinamensis* (Bremek.) C.H. Perss.

Appunia longiloba Steyermark. = *Appunia tenuiflora* Hook. f.

Appunia sparsiflora Steyermark. = *Appunia tenuiflora* Hook. f.

Appunia tenuiflora var. *leiophylla* Steyermark. = *Appunia tenuiflora* Hook. f.

Bellynkxia brachycalyx Bremek. = *Appunia brachycalyx* (Bremek.) Steyermark.

Bellynkxia calycina (Benth.) Bremek. = *Appunia calycina* (Benth.) Sandwith

Bellynkxia surinamensis Bremek. = *Appunia surinamensis* (Bremek.) Steyermark.

Bigelovia sphaerica DC. = *Spermacoce remota* Lam.

Bigelowia verticillata (L.) Spreng. = *Spermacoce verticillata* L.

Borreria alata (Aubl.) DC. = *Spermacoce alata* Aubl.

Borreria alternans Bello = *Spermacoce ocytropis* Willd. ex Roem. & Schult.

Borreria asperula DC. = *Spermacoce ocytropis* Willd. ex Roem. & Schult.

Borreria assurgens (Ruiz & Pav.) Griseb. = *Spermacoce remota* Lam.

Borreria boliviensis Steyermark. = *Spermacoce boliviensis* (Steyermark.) Govaerts

Borreria capitata (Ruiz & Pav.) DC. = *Spermacoce capitata* Ruiz & Pav.

Borreria capitata var. *capitata* f. *ferruginea* (A. St.-Hil.) Steyermark. = *Spermacoce capitata* Ruiz & Pav.

Borreria capitata var. *capitata* f. *glabra* Steyermark. = *Spermacoce capitata* Ruiz & Pav.

Borreria capitata var. *suaveolens* (G. Mey.) Steyermark. = *Spermacoce suaveolens* (G. Mey.) Kuntze

Borreria capitata var. *tenella* (Kunth) Steyermark. = *Spermacoce tenella* Kunth

- Borreria cataractarum* Steyerm. = *Spermacoce cataractarum* (Steyerm.) Govaerts
- Borreria confertifolia* Steyerm. = *Spermacoce confertifolia* (Steyerm.) Govaerts
- Borreria densiflora* DC. = *Spermacoce densiflora* (DC.) Liogier
- Borreria elongata* DC. = *Spermacoce capitata* Ruiz & Pav.
- Borreria ferruginea* (A. St.-Hil.) DC. = *Spermacoce capitata* Ruiz & Pav.
- Borreria fockeana* Miq. = *Spermacoce latifolia* Aubl.
- Borreria hispida* Spruce ex K. Schum. = *Spermacoce neohispida* Govaerts
- Borreria intricata* Steyerm. = *Spermacoce intricata* (Steyerm.) Govaerts
- Borreria jangouxii* Steyerm. = *Spermacoce jangouxii* (Steyerm.) Govaerts
- Borreria kappleriana* Miq. = *Spermacoce capitata* Ruiz & Pav.
- Borreria laevis* (Lam.) Griseb. = *Spermacoce remota* Lam.
- Borreria latifolia* (Aubl.) K. Schum. = *Spermacoce latifolia* Aubl.
- Borreria latifolia* var. *fockeana* (Miq.) Bremek. = *Spermacoce latifolia* Aubl.
- Borreria linifolia* DC. = *Spermacoce remota* Lam.
- Borreria linoides* DC. = *Spermacoce tenella* Kunth
- Borreria lutescens* DC. = *Spermacoce capitata* Ruiz & Pav.
- Borreria macrocephala* Standl. & Steyerm. = *Spermacoce macrocephala* (Standl. & Steyerm.) Govaerts
- Borreria minima* DC. = *Spermacoce verticillata* L.
- Borreria multiflora* (DC.) Bacigalupo & Cabral = *Spermacoce multiflora* (DC.) Delprete
- Borreria nectarifera* Rusby = *Spermacoce capitata* Ruiz & Pav.
- Borreria ocymifolia* (Willd. ex Roem. & Schult.) Bacigalupo & E.L. Cabral = *Spermacoce ocymifolia* Willd. ex Roem. & Schult.
- Borreria oligodonta* Steyerm. = *Spermacoce verticillata* L.
- Borreria ovalifolia* M. Martens & Galeotti = *Spermacoce ovalifolia* (M. Martens & Galeotti) Hemsl.
- Borreria penicillata* Miq. = *Spermacoce latifolia* Aubl.
- Borreria perrottetii* DC. = *Spermacoce latifolia* Aubl.
- Borreria podocephala* DC. = *Spermacoce verticillata* L.
- Borreria pulchristipula* (Bremek.) Bacigalupo & Cabral = *Spermacoce pulchristipula* (Bremek.) Delprete
- Borreria pygmaea* Spruce ex K. Schum. = *Spermacoce spruceana* Kuntze
- Borreria remota* (Lam.) Bacigalupo & E.L. Cabral = *Spermacoce remota* Lam.
- Borreria repens* DC. = *Spermacoce exilis* (L.O. Williams) C.D. Adams
- Borreria spicata* (Miq.) Bacigalupo & Cabral = *Spermacoce spicata* (Miq.) Delprete
- Borreria splitgerberi* Bremek. = *Spermacoce latifolia* Aubl.
- Borreria stricta* G. Mey. = *Spermacoce verticillata* L.
- Borreria suaveolens* G. Mey. = *Spermacoce suaveolens* (G. Mey.) Kuntze
- Borreria suaveolens* var. *linoides* (DC.) Standl. = *Spermacoce suaveolens* (G. Mey.) Kuntze
- Borreria suaveolens* G. Mey. var. *platiphylla* (K. Schum.) Standl. = *Spermacoce tenella* Kunth
- Borreria tenella* (Kunth) Cham. & Schltdl. = *Spermacoce tenella* Kunth
- Borreria tenella* var. *angustifolia* DC. = *Spermacoce tenella* Kunth
- Borreria tenella* var. *genuina* K. Schum. = *Spermacoce tenella* Kunth
- Borreria tenella* var. *linoides* K. Schum. = *Spermacoce tenella* Kunth
- Borreria tenella* var. *platiphylla* K. Schum. = *Spermacoce tenella* Kunth
- Borreria tenella* var. *suaveolens* (G. Mey.) K. Schum. = *Spermacoce suaveolens* (G. Mey.) Kuntze
- Borreria tetraptera* Miq. = *Spermacoce latifolia* Aubl.
- Borreria trichantha* Miq. = *Spermacoce ocymifolia* Willd. ex Roem. & Schult.
- Borreria verticillata* (L.) G. Mey. = *Spermacoce verticillata* L.
- Borreria virgata* Cham. & Schltdl. = *Spermacoce ocymifolia* Willd. ex Roem. & Schult.
- Borreria wurdackii* Steyerm. = *Spermacoce wurdackii* (Steyerm.) Govaerts
- Borreria xanthophylla* Bremek. = *Spermacoce xanthophylla* (Bremek.) Govaerts
- Callicocca guianensis* (Aubl.) Gmel. = *Carapichea guianensis* Aubl.
- Carapichea aubletii* DC. = *Carapichea guianensis* Aubl.
- Cephaelis guianensis* (Aubl.) Standl. = *Carapichea guianensis* Aubl.
- Coffea calycina* Benth. = *Appunia calycina* (Benth.) Sandwith
- Chiococca cordata* = *Chiococca nitida* Benth.
- Chiococca erubescens* Wernham = *Chiococca nitida* Benth.
- Chiococca multipedunculata* Steyerm. = *Chiococca nitida* Benth.
- Chiococca nitida* var. *amazonica* Muell. Arg. = *Chiococca nitida* Benth.
- Chiococca nitida* var. *amazonica* f. *cordata* (Cowan) Steyerm. = *Chiococca nitida* Benth.
- Chiococca nitida* var. *chimantensis* Steyerm. = *Chiococca nitida* Benth.
- Coffea tenuiflora* Benth. = *Appunia tenuiflora* Hook. f.
- Cordiera surinamensis* Miq. ex Bremek. = *Appunia surinamensis* (Bremek.) Steyerm.
- Dasycephala spicata* (Miq.) Hook. f. = *Spermacoce spicata* (Miq.) Delprete
- Diodia apiculata* (Willd. ex Roem. & Schult.) K. Schum. = *Diodella apiculata* (Willd. ex Roem. & Schult.) Delprete
- Diodia articulata* Pohl ex DC. = *Spermacoce hyssopifolia* Willd. ex Roem. & Schult.
- Diodia hyssopifolia* (Willd. ex Roem. & Schult.) Cham. & Schltdl. = *Spermacoce hyssopifolia* Willd. ex Roem. & Schult.
- Diodia hyssopifolia* var. *articulata* (Pohl ex DC.) Steyerm. = *Spermacoce hyssopifolia* Willd. ex Roem. & Schult.
- Diodia hyssopifolia* var. *hyssopifolia* f. *psiloclada* Steyerm. = *Spermacoce hyssopifolia* Willd. ex Roem. & Schult.
- Diodia hyssopifolia* var. *linearis* (Willd. ex Roem. & Schult.) Steyerm. = *Spermacoce hyssopifolia* Willd. ex Roem. & Schult.
- Diodia hyssopifolia* var. *linearis* f. *glabriuscula* Steyerm. = *Spermacoce hyssopifolia* Willd. ex Roem. & Schult.

- Diodia multiflora* DC. = *Spermacoce multiflora* (DC.) Delprete
- Diodia ocytropis* (Willd. ex Roem. & Schult.) Bremek. = *Spermacoce ocytropis* Willd. ex Roem. & Schult.
- Diodia pulchristipula* Bremek. = *Spermacoce pulchristipula* (Bremek.) Delprete
- Diodia radula* (Willd. & Hoffmanns. ex Roem. & Schult.) Cham. & Schlecht. = *Diodella radula* (Willd. ex Roem. & Schult.) Delprete
- Diodia radula* subsp. *venezuelensis* Steyermark. = *Diodella radula* (Willd. ex Roem. & Schult.) Delprete
- Diodia sarmentosa* Sw. = *Diodella sarmentosa* (Sw.) Bacigalupo & E.L. Cabral ex Borhidi
- Diodia spicata* Miq. = *Spermacoce spicata* (Miq.) Delprete
- Diodia surinamensis* Miq. = *Spermacoce hyssopifolia* Willd. ex Roem. & Schult.
- Diodia teres* Walter = *Diodella teres* (Walter) Small
- Faramea sessiliflora* Aubl. var. *pedunculata* Bremek. = *Faramea pedunculata* (Bremek.) Delprete
- Hemidiodia ocytropis* (Willd. ex Roem. & Schult.) K. Schum. (as "ocytropis" [ort. var.]) = *Spermacoce ocytropis* Willd. ex Roem. & Schult.
- Hoffmannia megistophylla* Standl. = *Patima guianensis* Aubl.
- Ibetaria surinamensis* Bremek. = *Kutchubaea surinamensis* (Bremek.) C.H. Perss.
- Morinda aurantiaca* (K. Krause) Steyermark. = *Appunia aurantiaca* (K. Krause) Sandwith
- Morinda brachycalyx* (Bremek.) Steyermark. = *Appunia brachycalyx* (Bremek.) Steyermark.
- Morinda calycina* (Benth.) Steyermark. = *Appunia calycina* (Benth.) Sandwith
- Morinda debilis* (Sandwith) Steyermark. = *Appunia debilis* Sandwith
- Morinda longiloba* (Steyermark.) Steyermark. = *Appunia tenuiflora* Hook. f.
- Morinda longipedunculata* Steyermark. = *Appunia longipedunculata* (Steyermark.) Delprete
- Morinda peduncularis* Kunth = *Appunia peduncularis* (Kunth) Delprete
- Morinda sparsiflora* (Steyermark.) Steyermark. = *Appunia tenuiflora* Hook. f.
- Morinda surinamensis* (Bremek.) Steyermark. = *Appunia surinamensis* (Bremek.) Steyermark.
- Morinda tenuiflora* (Benth.) Steyermark. = *Appunia tenuiflora* Hook. f.
- Morinda tenuiflora* var. *leiophylla* (Steyermark.) Steyermark. = *Appunia tenuiflora* Hook. f.
- Morinda venezuelensis* (Steyermark.) Steyermark. = *Appunia venezuelensis* Steyermark.
- Psychotria carapichea* (Steyermark.) Delprete = *Carapichea guianensis* Aubl.
- Psychotria galbaoensis* Steyermark. = *Carapichea guianensis* Aubl.
- Psychotria ligularis* (Rudge) Steyermark. = *Carapichea ligularis* (Rudge) Delprete
- Psychotria ligularis* var. *carapichea* Steyermark. = *Carapichea guianensis* Aubl.
- Schradera ligularis* Rudge = *Carapichea ligularis* (Rudge) Delprete
- Semaphylanthe intonsa* (Steyermark.) L. Andersson = *Calycocephalum intonsum* Steyermark.
- Semaphylanthe merumensis* (Steyermark.) L. Andersson = *Calycocephalum merumense* Steyermark.
- Semaphylanthe spectabilis* (Steyermark.) L. Andersson = *Calycocephalum spectabile* Steyermark.
- Spermacoce assurgens* Ruiz & Pav. = *Spermacoce remota* Lam.
- Spermacoce aturensis* Kunth = *Spermacoce hyssopifolia* Willd. ex Roem. & Schult.
- Spermacoce brasiliensis* Spreng. = *Spermacoce tenella* Kunth
- Spermacoce capitellata* Willd. ex Roem. & Schult. = *Spermacoce remota* Lam.
- Spermacoce coerulea* Pohl ex DC. = *Spermacoce ocytropis* Willd. ex Roem. & Schult.
- Spermacoce coeruleascens* Aubl. = *Spermacoce latifolia* Aubl.
- Spermacoce ernstii* R. Fosberg & D. Powell = *Spermacoce ovalifolia* (M. Martens & Galeotti) Hemsl.
- Spermacoce ferruginea* A. St.-Hil. = *Spermacoce capitata* Ruiz & Pav.
- Spermacoce guianensis* Bremek. = *Spermacoce remota* Lam.
- Spermacoce laevis* Lam. = *Spermacoce remota* Lam.
- Spermacoce linearis* Willd. ex Roem. & Schult. = *Spermacoce hyssopifolia* Willd. ex Roem. & Schult.
- Spermacoce linoides* Pohl ex DC. = *Spermacoce suaveolens* (G. Mey.) Kuntze
- Spermacoce longifolia* Aubl. = *Mitracarpus* sp. ?
- Spermacoce longifolia* f. *glabrata* Miq. = *Spermacoce ocytropis* Willd. ex Roem. & Schult.
- Spermacoce oligodonta* (Steyermark.) Govaerts = *Spermacoce verticillata* L.
- Spermacoce orinocensis* Roem. & Schult. = *Spermacoce capitata* Ruiz & Pav.
- Spermacoce portoricensis* Balb. ex DC. = *Spermacoce ocytropis* Willd. ex Roem. & Schult.
- Spermacoce pringlei* S. Watson = *Spermacoce ovalifolia* (M. Martens & Galeotti) Hemsl.
- Spermacoce radicans* Aubl. = *Spermacoce prostrata* Aubl.
- Spermacoce suaveolens* f. *glabra* Kuntze = *Spermacoce suaveolens* (G. Mey.) Kuntze
- Spermacoce suaveolens* f. *pubescens* Kuntze = *Spermacoce suaveolens* (G. Mey.) Kuntze
- Spermacoce suaveolens* var. *tenella* (Kunth) Kuntze = *Spermacoce tenella* Kunth
- Tardavel tenella* (Kunth) Standl. = *Spermacoce tenella* Kunth
- Uragoga guianensis* (Aubl.) Pulle = *Carapichea guianensis* Aubl.

References

- Delete:** CLARK, H., R. LIESNER, P.E. BERRY, A. FERNÁNDEZ, G. AYMARD, AND P. AQUIRINO. 2000. Catálogo Anotado de la Flora del Área de San Carlos de Río Negro, Venezuela. Sci. Guiana 11:101–316.
- BOOM, B.M. AND P.G. DELPRETE. Rubiaceae. 2002. In: A. Mori et al., eds. Guide to the vascular plants of central French Guiana. Part 2. Dicotyledons. Mem. New York Bot. Gard. 76:606–649.

- BURGER, W. AND C.M. TAYLOR. 1993. Family 202 Rubiaceae. In: W. Burger, ed. Flora Costaricensis. Fieldiana, Bot., n. s. 33:1–333.
- DELPRETE, P.G. 2003. *Carapichea guianensis*: the correct name for *Psychotria carapichea* (Rubiaceae), with a correction on the authority of *P. carapichea*, and a new combination in *Carapichea*. Brittonia 55:88–89.
- DELPRETE, P.G. "2004" [2005]. *Chiococca plowmanii*, a new species endemic to the coastal vegetation of northeastern Brazil, and a realignment of *Chiococca nitida* (Rubiaceae, Chiococceae). Rev. Biol. Neotrop. 1(1–2):4–10.
- DELPRETE, P. 2006. Two new species of *Coussarea* and a new combination in *Faramea* (Rubiaceae, Coussareae) from the Guianas. Blumea 51:355–364.
- DELPRETE, P.G. 2007. New combinations and new synonomies in the genus *Spermacoce* (Rubiaceae) for the Flora of Goiás and Tocantins (Brazil) and the Flora of the Guianas. J. Bot. Res. Inst. Texas 1:1023–1030.
- DELPRETE, P.G. AND R. CORTÉS-B. "2006" [Jun 2007]. A synopsis of the Rubiaceae of the states of Mato Grosso and Mato Grosso do Sul, Brazil, with a key to genera, and a preliminary species list. Rev. Biol. Neotrop. 3:13–96.
- DELPRETE, P.G., L.B. SMITH, AND R.B. KLEIN. 2005. Rubiáceas, Volume 2 - Gêneros de G-Z: 20. *Gardenia* até 46. *Tocoyena* (com observações ecológicas por R. Klein, A. Reis, and O. Iza), pp. 345–843. In: A. Reis, ed. Flora Ilustrada Catarinense. Herbário Barbosa Rodrigues, Itajaí, Santa Catarina, Brazil.
- DEVRIÉ, P. 2000. Pollenmorphologische studie van de Spermacoceae (Rubioideae - Rubiaceae). Undergraduate Thesis. 135 p. Katholieke Universiteit Leuven, Leuven, Belgium.
- DESSEIN, S. 2003. Systematic studies in the Spermacoceae (Rubiaceae). Doctoral Thesis. 403 p. Katholieke Universiteit Leuven, Leuven, Belgium.
- DESSEIN, S., R. HARWOOD, I. GROENINCKS, AND E. ROBBRECHT. 2006a. Diversity among Australian *Spermacoce* species. Third International Rubiaceae Conference - Programme & Abstracts. Scr. Bot. Belgica 40:30.
- DESSEIN, S., E. ROBBRECHT, AND E. SMETS. 2006b. A new herophyllous *Spermacoce* species (Rubiaceae) from the Marungu Highlands, Democratic Republic of the Congo. Novon 16:231–234.
- GROENINCKS, I., P. DE BLOCK, F. RAKOTONASOLO, E. SMETS, AND S. DESSEIN. 2009a. Rediscovery of Malagasy *Lathraea-* *carpa* allows determination of its taxonomic position within Rubiaceae. Taxon 58:209–226.
- GROENINCKS, I., S. DESSEIN, H. OCHOTERENA, C. PERSSON, T.J. MOTLEY, J. KAREHED, B. BREMER, AND E. SMETS. 2009b. Phylogeny of the herbaceous tribe Spermacoceae (Rubiaceae) based on plastid DNA data. Ann. Missouri Bot. Gard. 96:109–132.
- LENS, F., I. GROENINCKX, E. SMETS, AND S. DESSEIN. 2009. Woodiness within the Spermacoceae-Knoxieae alliance (Rubiaceae): retention of the basal woody condition in Rubiaceae or recent innovation? Ann. Bot. 103:1049–1064.
- RAZAFIMANDIMBISON, S.G., T.D. McDOWELL, D.A. HALFORD, AND B. BREMER. 2009. Molecular phylogenetics and generic assessment in the tribe Morindae (Rubiaceae-Rubioideae): how to circumscribe *Morinda* L. to be monophyletic? Molec. Phylgen. Evol. 52:879–886.
- TAYLOR, C.M. 2006. Rubiacearum Americanarum Magna Hama Pars XIX. New species of *Palicourea* (Psychotriaceae) from Ecuador, Peru, and Venezuela. Brittonia 58:156–169.
- VAES, E., A. VRIJDAGHS, E. SMETS, AND S. DESSEIN. 2006. Elaborate petals in Australian *Spermacoce* (Rubiaceae) species: morphology, ontogeny and function. Ann. Bot. 98:1167–1178.

RUTACEAE (p. 507–510)

Neoraputia paraensis (Ducke) Emmerich—author should read "(Ducke) Kallunki"

Reference

KALLUNKI, J.A. 2009. Validation of *Neoraputia* (Galipeae, Rutaceae) and description of two new species from Eastern Brazil. Brittonia 6:28–34. Author as "Emmerich ex Kallunki"

SABIACEAE (p. 510–511)

Ophiocaryon barnebyanum Aymard & Daly—AM

Reference

AYMARD, G.A. AND D.C. DALY. 2006. Two new species of *Ophiocaryon* (Sabiaceae) from South America. Brittonia 58:270–276.

VIOLACEAE (p. 547–549)

Hekkingia bordenavei H.E. Ballard & Munzinger—FG

Reference

MUNZINGER, J.K. AND H.E. BALLARD. 2003. *Hekkingia* (Violaceae), a new arborescent violet genus from French Guiana, with a key to genera in the family. Syst. Bot. 28:345–351.

VITACEAE (p. 552–553)

Cissus descoingsii J.A. Lombardi—should be deleted

Cissus duarteana Cambess.—should be deleted

Cissus guyanensis Descoings—add **BO, GU**

Cissus kawensis Descoings—**FG**

Cissus subrhomboidea (Baker) Planch.—add **FG**

Synonyms and misidentifications

Cissus descoingsii J.A. Lombardi (invalid and illegitimate) =

Cissus guyanensis Descoings

Cissus duarteana Cambess. [misidentification for *Cissus subrhomboidea* (Baker) Planch.]

Reference

DESCOINGS, B. 2008. Contribution à l'étude des Vitacées

d'Amérique tropicale. III—*Cissus spinosa* Cambess., *C. subrhomboidea* (Baker) Planchon, *C. flavens* et *C. kawensis*, spp. nov. J. Bot. Soc. Bot. France 44:3–17.

VOCHysiaceae (p. 553–555)

Qualea marioniae Marcano-Berti (as "marionii")—**GU**

Reference

MARCANO-BERTI, L. 2002. Studies on the flora of the Guianas n° 101. New Vochysiaceae: *Qualea johannabakkeri* and *Qualea marionii*. Acta Bot. Venez. 25:111–118.

ACKNOWLEDGMENTS

I am grateful to Vicki Funk who encouraged me to publish this update. I appreciate the input from the reviewers, Howard L. Clark (Quito, Ecuador, †27 Aug 2009, cf. p. 996) and Paul Hiepko (B). I am thankful for the help provided at the Smithsonian Institution by the Department of Botany librarian Robin Everly and database specialist Sara Alexander; their patience through multiple requests was endless. This is number 149 in the Smithsonian's Biological Diversity of the Guiana Shield Program publication series.

REFERENCES

- BERRY, P.E., K. YATSKIEWYCH, AND B.K. HOLST (eds.). 1995–2005. Flora of the Venezuelan Guayana, 9 volumes. Missouri Botanical Garden, Saint Louis.
- FUNK, V., T. HOLLOWELL, P.E. BERRY, C. KELLOFF, AND S.N. ALEXANDER. 2007. Checklist of the plants of the Guiana Shield (Venezuela: Amazonas, Bolivar, Delta Amacuro; Guyana, Surinam, French Guiana). Contr. U.S. Natl. Herb. 55:1–584.
- GÖRTS-VAN RIJN, A.R.A. AND M. JANSEN-JACOBS (eds.). 1985–2008. Flora of the Guianas. Ser. A, fasc. 1–26 (in progress); Ser. B, fasc. 3, 4 & 6 (in progress). Koeltz, Koenigstein and Kew Royal Botanical Garden, Richmond.
- MORI, S.A., G. CREMERS, C.A. GRACIE, J.-J. DE GRANVILLE, M. HOFF, AND J.D. MITCHELL (eds.). 1997. Guide to the plants of Central French Guiana. Part 1. Pteridophytes, Gymnosperms, and Monocotyledons. Mem. New York Bot. Gard. 76(1):1–422.
- MORI, S.A., G. CREMERS, C.A. GRACIE, J.-J. DE GRANVILLE, S.V. HEAD, M. HOFF, AND J.D. MITCHELL (eds.). 2002. Guide to the plants of Central French Guiana. Part 1. Dicotyledons. Mem. New York Bot. Gard. 76(2):1–776.